

Message

From: Wilder, Scott [Wilder.Scott@epa.gov]
Sent: 6/14/2016 2:10:24 PM
To: Coate, Carson [Coate.Carson@epa.gov]; Vranka, Joe [vranka.joe@epa.gov]; Parker, Robert [Parker.Robert@epa.gov]; Chalfant, Mark [Chalfant.Mark@epa.gov]; Cirian, Mike [Cirian.Mike@epa.gov]
CC: Urdiales, Aaron [Urdiales.Aaron@epa.gov]
Subject: RE: Three week update 6-14-16

Hi Carson,

Please add Aaron Urdiales.

Thanks,

Scott Wilder
U.S. Environmental Protection Agency
CERCLA Technical Enforcement Program
1200 Sixth Avenue, Suite 900, MS-113
Seattle, WA 98101
206-553-6693

From: Coate, Carson
Sent: Tuesday, June 14, 2016 7:48 AM
To: Vranka, Joe <vranka.joe@epa.gov>; Parker, Robert <Parker.Robert@epa.gov>; Chalfant, Mark <Chalfant.Mark@epa.gov>; Cirian, Mike <Cirian.Mike@epa.gov>; Wilder, Scott <Wilder.Scott@epa.gov>
Subject: FW: Three week update 6-14-16

Is there anyone else I should include since Kelcey retired?

From: Benoit, John [mailto:JBenoit@mt.gov]
Sent: Tuesday, June 14, 2016 6:47 AM
To: Arrigo, John <jarrigo@mt.gov>; Coate, Carson <Coate.Carson@epa.gov>; jchambers@mt.gov; Flatow, Jeni <JFlatow@mt.gov>; Grimm, Deborah <DGrimm@mt.gov>; mahall@mt.gov; Hendrickson, Mary <MHendrickson@mt.gov>; Kurvink, Greg <GKurvink@mt.gov>; Mikita, Cory <CMikita@mt.gov>; nmullen@mt.gov; Peterson, Lisa <lpeterson@mt.gov>; Ponozzo, Kristi <KPonozzo@mt.gov>; Rieger, Michael <MRieger@mt.gov>; ethamke@mt.gov
Subject: Three week update 6-14-16

On June 13, 2016 the DEQ received the most recent update from Carl Burnham of IRS Environmental regarding the quantity of Asbestos material removed from the CFAC site to date. The current cumulative total of 30,820 pounds of regulated asbestos waste remains unchanged. The waste disposal receipts for May indicate the removal of an additional 1,620 pounds of non-regulated asbestos material, yielding a "to date" non-regulated asbestos total of 750,090 pounds. Structures included in this removal include the West Rectifier, Rod Mill Building, Paste Plant, Quonset Hut, West Aluminum Unloader, Compressor Building, and Laboratory.

An asbestos project permit is in place through 2016 for the East Rectifier building, and through July for the Laboratory Building. Demolition notifications remain in place for the East and West Rectifiers, Rod Mill Building, and Laboratory Building.

John Benoit Environmental Specialist
Asbestos Control / Meth Cleanup Program

ED_002345B_00005158-00001

406-444-5286

JBenoit@mt.gov

<http://www.deq.mt.gov/Public/asbestos> ---- <http://www.deq.mt.gov/Public/meth>

*Please redirect all emails sent individually to this box to
DEQACPONLINE@mt.gov*

